

# Eaton SPS-2453

Catalog Number: SPS-2453

Eaton Fire alarm system power supply (SPS), Universal, Power Supply, EN54 Systems, 24V/4.5A

## Spécifications générales



La photo est représentative

Product Name	Catalog Number
Eaton Fire alarm system power supply (SPS)	SPS-2453
	EAN
	3660191602567
Product Length/Depth	Product Height
300 mm	175 mm
Product Width	Product Weight
220 mm	0.123 kg
Compliances	
Contact Manufacturer	

## Type

alim sps - european market

## Voltage type of supply voltage

AC

## 1st Secondary Output Voltage At DC - Max

27 V

## 1st Secondary Output Voltage At DC - Min

20.4 V

## 2nd Secondary Output Voltage At DC - Max

27 V

## 2nd Secondary Output Voltage At DC - Min

20.4 V

## Output current 1 - max

4.5 A

## Output current 2 - max

4.5 A

## Rated supply voltage at AC 50 Hz - max

230 V

## Rated supply voltage at AC 50 Hz - min

230 V

## Rated supply voltage at AC 60 Hz - max

230 V

## Rated supply voltage at AC 60 Hz - min

230 V

## Type Of Electric Connection

Plug-in connection

## SIL according to IEC 61508

None

## Performance Level Acc. EN ISO 13849-1

None

## Battery resistor selector (switch)

Yes

## Remote temperature probe

Yes

## Product branding

Eaton

Power output

50 W

Built-in height

220 mm

Battery capacity

17 Ah

Operating temperature - max

40 °C

Operating temperature - min

-5 °C

Mounting Type

Wall Mount Possible

Protection, proofing and resistance

Short-Circuit-Proof

Cable entry

Rear

Suitable for

Safety Functions

Degree of protection

IP30

EN Certification Standards

EN12101-10

EN54-4(A2)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. Tous  
droits réservés.

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)